


CARTRIDGE

22-250 Remington A.I. 50/52 grain

Version 8.0

Nosler®

UP FRONT



22-250 Remington A.I. 50/52 grain

22 Cal. (.224")

Maximum O.A.C.L. 2.350"

TESTED O.A.C.L.

B.C.

S.D.

Ballistic Tip®	50gr. Spitzer	2.350"	0.238	0.142
Ballistic Tip® Lead Free	50gr. Spitzer	2.350"	0.251	0.142
CT®Ballistic Silvertip®	50gr. Spitzer	2.350"	0.238	0.142
Nosler®	50gr. FBHP	2.350"	0.192	0.142
Nosler®	50gr. FBSP	2.350"	0.195	0.142
Custom Competition®	52gr. HPBT	2.350"	0.220	0.148

CASE TYPE:	Nosler	PRIMER TYPE	Rem 9 1/2
CASE HOLDS:	47.0 Gr. WATER	BARREL Length/Make	26" Shilen
		BARREL Twist	1-14"

POWDER TYPE	POWDER CHG. GRS.	MUZZLE VEL. F.P.S.	LOAD DENSITY (VOLUME)
Viht N140	38.0 MAX.	3805	94%
	36.0	3603	89%
	34.0 *	3402	84%
Viht N540	39.0 MAX.	3829	92%
	37.0 *	3651	87%
	35.0	3479	83%
Big Game	42.0 MAX.	3846	94%
	40.0	3671	90%
	38.0 *	3533	85%
IMR 4064	38.0 MAX.	3858	89%
	36.0 *	3614	84%
	34.0	3392	79%
RL15	40.0 MAX.	3877	89%
	38.0	3702	84%
	36.0 *	3527	80%
IMR 3031	36.5 MAX.	3884	88%
	34.5 *	3648	83%
	32.5	3466	78%
W760	43.0 MAX.	3909	96%
	41.0	3696	91%
	39.0 *	3520	87%
Varget Most Accurate Powder Tested	40.0 * MAX.	3922	92%
	38.0	3730	87%
	36.0	3539	83%
IMR 4895	40.0 * MAX.	3951	94%
	38.0	3745	89%
	36.0	3539	84%

All cartridge measurements are SAAMI maximum and due to variations from manufacturers actual measurements may vary
 * Because Nosler, Inc. has no control over the actual components selected, the manner in which they are assembled or the condition of the firearm used, no responsibility, either expressed or implied is assumed for the use of this data.
 In no event shall Nosler, Inc. be liable for any damages resulting from the use of this data.*

* = Most accurate load tested

** = Compressed load